EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

PUBLISHED BY

THE SOCIETY FOR THE STUDY OF EVOLUTION

Vol. 45 **Subject Index** **1991**

Evolution, 45(8), 1991, pp. 1982–1993

ALGAE

evolution of sex, genetic interaction, complementation, selection, competition, sib competition, fitness, *Chlamydomonas reinhardtii*, 1036

genotype fitness, genotype-environment interaction, environmental heterogeneity, genetic homeostasis, genetic variance, phenotypic variation, multiple-niche hypothesis, reaction norm, *Chlamydomonas reinhardtii*, 668

speciation, developmental constraints, mutants, mutation, phylogenetic diversity, life history, germ, soma, Volvocaceae, *Volvox*, 1806

AMPHIBIANS

antipredator mechanisms, newt toxicity, *Taricha granulosa*, predator adaptation, resistance, garter snake, *Thamnophis sirtalis*, 221

gene flow, "reticulate hybrid zone," allozymes, mitochondrial DNA, newts, *Triturus cristatus*, *T. marmoratus*, 805

morphogenesis, carpal fusion, developmental constraints, pattern formation, Mantel's permutation test, Urodeles, 1516

morphological variation, electrophoretic variation, reproductive isolation, hybrid fitness, selection, migration, fire-bellied toads, *Bombina bombina*, *B. variegata*, 237

ANNELIDS

biparental care, egg reciprocation, mating system, hermaphroditic polychaete worms, *Ophryotrocha diadema*, 63

polychaete larval development, planktotrophy, lecithotrophy, life-history characters, genetic variation, *Streblospio benedicti*, 380

ARACHNIDS

evolution of copulation, mating behavior, nonreversing characters, comparative method, water mites, Acari, 558

fighting behavior, sequential assessment game, quantitative predictions, bowl and doily spider, *Frontinella pyramitela*, 862

sexual cannibalism, size dimorphism, courtship behavior, mating, orb-weaving spiders, Araneidae, 444

ASCIDIANS

gene flow, sperm dispersal, population structure, colonial ascidians, *Botryllus schlosseri*, 130

BEHAVIOR

aggression, female mimicry, mating success, plumage color, delayed plumage maturation, sexual selection, pied flycatcher, *Ficedula hypoleuca*, 910

agonistic behavior, intraspecific competition, selection, growth, domestication, medaka, *Oryzias latipes*, 1936

altruism, group selection, kin selection, relatedness, inbreeding, population structure, spatial distribution, social bees, *Exoneura bicolor*, 680

biparental care, egg reciprocation, mating system, hermaphroditic polychaete worms, *Ophryotrocha diadema*, 63

copulation duration, direct response, correlated response, sexual selection, *Drosophila melanogaster*, 69

courtship, mating propensity, assortative mating, premating isolation, bottlenecks, divergence, housefly, *Musca domestica*, 293

evolution of copulation, mating behavior, nonreversing characters, comparative method, water mites, Arachnids, Acari, 558

experimental ethology, sexual selection, integration, macroevolution, phylogeny, *Gasterosteus aculeatus*, 1773

fighting behavior, sequential assessment game, quantitative predictions, bowl and doily spider, *Frontinella pyramitela*, 862

Müllerian vs. Batesian mimicry, laboratory demonstration of mimicry, aversive conditioning, unpalatability, Florida viceroy, *Limenitis archippus floridensis*, Florida queens, *Danaus gilippus berenice*, 918

predator-prey coevolution, thiarid gastropods, potamonautid crabs, shell morphology, predation success, Lake Tanganyika, 589

sexual cannibalism, size dimorphism, courtship, mating, orb-weaving spiders, Araneidae, 444

BIRDS

Archaeopteryx, reptilian (vs. avian) physiology, flight capacity, avian evolution, 1

body size, laying date, survival, natural selection, tree swallow, *Tachycineta bicolor*, 1169

feather patterns, feather development, phenotypic and developmental correlations, developmental abnormalities, canalized growth, fluctuating asymmetry, warbler, *Phylloscopus inornatus*, 518

morphometric variability, phenotypic evolution, neutral model, chaffinches, *Fringilla coelebs*, 29

natal dispersal, dispersal distances, migration, population structure, indigo bunting, *Passerina cyanea*, 49

plumage color, female mimicry, delayed plumage maturation, mating success, aggression, sexual selection, pied flycatcher, *Ficedula hypoleuca*, 910

EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

PUBLISHED BY

THE SOCIETY FOR THE STUDY OF EVOLUTION

Vol. 45 **Subject Index** **1991**

Evolution, 45(8), 1991, pp. 1982–1993

ALGAE

evolution of sex, genetic interaction, complementation, selection, competition, sib competition, fitness, *Chlamydomonas reinhardtii*, 1036

genotype fitness, genotype-environment interaction, environmental heterogeneity, genetic homeostasis, genetic variance, phenotypic variation, multiple-niche hypothesis, reaction norm, *Chlamydomonas reinhardtii*, 668

speciation, developmental constraints, mutants, mutation, phylogenetic diversity, life history, germ, soma, Volvocaceae, *Volvox*, 1806

AMPHIBIANS

antipredator mechanisms, newt toxicity, *Taricha granulosa*, predator adaptation, resistance, garter snake, *Thamnophis sirtalis*, 221

gene flow, "reticulate hybrid zone," allozymes, mitochondrial DNA, newts, *Triturus cristatus*, *T. marmoratus*, 805

morphogenesis, carpal fusion, developmental constraints, pattern formation, Mantel's permutation test, Urodeles, 1516

morphological variation, electrophoretic variation, reproductive isolation, hybrid fitness, selection, migration, fire-bellied toads, *Bombina bombina*, *B. variegata*, 237

ANNELIDS

biparental care, egg reciprocation, mating system, hermaphroditic polychaete worms, *Ophryotrocha diadema*, 63

polychaete larval development, planktotrophy, lecithotrophy, life-history characters, genetic variation, *Streblospio benedicti*, 380

ARACHNIDS

evolution of copulation, mating behavior, nonreversing characters, comparative method, water mites, Acari, 558

fighting behavior, sequential assessment game, quantitative predictions, bowl and doily spider, *Frontinella pyramitela*, 862

sexual cannibalism, size dimorphism, courtship behavior, mating, orb-weaving spiders, Araneidae, 444

ASCIDIANS

gene flow, sperm dispersal, population structure, colonial ascidians, *Botryllus schlosseri*, 130

BEHAVIOR

aggression, female mimicry, mating success, plumage color, delayed plumage maturation, sexual selection, pied flycatcher, *Ficedula hypoleuca*, 910

agonistic behavior, intraspecific competition, selection, growth, domestication, medaka, *Oryzias latipes*, 1936

altruism, group selection, kin selection, relatedness, inbreeding, population structure, spatial distribution, social bees, *Exoneura bicolor*, 680

biparental care, egg reciprocation, mating system, hermaphroditic polychaete worms, *Ophryotrocha diadema*, 63

copulation duration, direct response, correlated response, sexual selection, *Drosophila melanogaster*, 69

courtship, mating propensity, assortative mating, premating isolation, bottlenecks, divergence, housefly, *Musca domestica*, 293

evolution of copulation, mating behavior, nonreversing characters, comparative method, water mites, Arachnids, Acari, 558

experimental ethology, sexual selection, integration, macroevolution, phylogeny, *Gasterosteus aculeatus*, 1773

fighting behavior, sequential assessment game, quantitative predictions, bowl and doily spider, *Frontinella pyramitela*, 862

Müllerian vs. Batesian mimicry, laboratory demonstration of mimicry, aversive conditioning, unpalatability, Florida viceroy, *Limenitis archippus floridensis*, Florida queens, *Danaus gilippus berenice*, 918

predator-prey coevolution, thiarid gastropods, potamonautid crabs, shell morphology, predation success, Lake Tanganyika, 589

sexual cannibalism, size dimorphism, courtship, mating, orb-weaving spiders, Araneidae, 444

BIRDS

Archaeopteryx, reptilian (vs. avian) physiology, flight capacity, avian evolution, 1

body size, laying date, survival, natural selection, tree swallow, *Tachycineta bicolor*, 1169

feather patterns, feather development, phenotypic and developmental correlations, developmental abnormalities, canalized growth, fluctuating asymmetry, warbler, *Phylloscopus inornatus*, 518

morphometric variability, phenotypic evolution, neutral model, chaffinches, *Fringilla coelebs*, 29

natal dispersal, dispersal distances, migration, population structure, indigo bunting, *Passerina cyanea*, 49

plumage color, female mimicry, delayed plumage maturation, mating success, aggression, sexual selection, pied flycatcher, *Ficedula hypoleuca*, 910

sexual size dimorphism, mating system, phylogeny, quantitative traits, drift, grackles, *Quiscalus* spp., 608
sympatric species, gene exchange, geographic variation, mitochondrial DNA, fox sparrow, *Passerella iliaca*, song sparrow, *Melospiza melodia*, 329
tail ornament size, phenotypic plasticity, sexual selection, heritability, repeatability, infection, mite, *Ornithonyssus bursa*, barn swallow, *Hirundo rustica*, 1823

BOOKS REVIEWED
Adaptation and Environment, 1733
Biological Invasions: A Global Perspective, 1062
Creation or Evolution: Correspondence on the Current Controversy, 1061
Darwin, Sex, and Status: Biological Approaches to Mind and Culture, 466
Ecology and Evolution of Livebearing Fishes (Poeciliidae), 1060
Ecology and Natural History of Tropical Bees, 469
Evolution and the Myth of Creationism: A Basic Guide to the Facts in the Evolution Debate, 1061
Evolutionary Dynamics of a Natural Population, 1296
Extinction and Survival in the Fossil Record, 1294
Heterochrony in Evolution: A Multidisciplinary Approach, 1534
Human Career: Human Biological and Cultural Origins, The, 465
Lifetime Reproduction in Birds, 1538
Mass Extinctions: Processes and Evidence, 1294
Phylogeny, Ecology, and Behavior: A Research Program in Comparative Biology, 1731
Plant Population Genetics, Breeding, and Genetic Resources, 1536
Proceedings of the Michigan Morphometrics Workshop, 1979
Sex and Death in Protozoa. The History of an Obsession, 468

CHROMOSOMAL EVOLUTION
chromosomal races, interchromosomal recombination, Robertsonian complex heterozygotes, parapatric speciation, clines, hybrid zone, common shrew, *Sorex araneus*, 1384
fixation probability, karyotype, continuous population, migration, neighborhood size, disruptive selection, shifting balance, stochastic processes, 499
sex chromosome drive, meiotic drive-suppression systems, divergence, sex-biased hybrid sterility and inviability, Haldane's rule, hybrid fitness, 262

CNIDARIANS
colony morphology, colonial invertebrate, clonal repeatability, morphological variation, intraspecific competition, natural selection, hydroid, *Hydractinia*, 1564
vicariance, biogeography, temporal scaling, symbiosis, DNA hybridization, hydroids, *Hydractinia* spp., hermit crabs, *Pagurus* spp., 1301

COEVOLUTION
endosymbiont, male-lethal spiroplasmas, fitness, transmission rates, sex-ratio trait, *Drosophila willistoni*, 971
host-pathogen interactions, host resistance, racial variation, wild flax, *Linum marginale*, pathogen diversity, virulence, rust fungus, *Melampsora lini*, 205
host-pathogen interactions, pathogen virulence, disease resistance, population structure, local variation, wild flax, *Linum marginale*, rust fungus, *Melampsora lini*, 1618
phylogenetic analysis, continuous characters, phylogenetic inertia, systematics, computer simulation, comparative method, punctuated equilibrium, gradualism, coadaptation, 534
plasmids, bacteria, reproductive success, continuous culture, *Escherichia coli*, 656
predator adaptation, resistance, antipredator mechanisms, garter snake, *Thamnophis sirtalis*, newt toxicity, *Taricha granulosa*, 221
predator-prey coevolution, thiarid gastropods, potamonautid crabs, shell morphology, behavior, predation success, Lake Tanganyika, 589

COMPETITION
competitive ability, development time, extinction, *Drosophila simulans*, *D. funebris*, 307
egg competition, intrasexual competition, sex-role reversal, reproductive cost, subdominant females, dominance, pipefish, Syngnathidae, *Syngnathus typhle*, 770
interclonal competition, covariation, geographic variation, secular variation, variability, aphids, *Pemphigus*, 1585
intraspecific competition, agonistic behavior, selection, growth, domestication, medaka, *Oryzias latipes*, 1936
intraspecific competition, morphological variation, clonal repeatability, colony morphology, colonial invertebrate, natural selection, hydroid, *Hydractinia*, 1564
sib competition, complementation, genetic interaction, evolution of sex, selection, fitness, *Chlamydomonas reinhardtii*, 1036
sperm competition (scramble vs. contest), nonfertilizing sperm evolution, "kamikaze" sperm hypothesis, 314
sperm competition, spermatophores, mating effort, paternal investment, courtship feeding, bush cricket, *Decticus verrucivorus*, 1975

CRUSTACEANS
cyclical parthenogenesis, life history, population differentiation, antagonistic pleiotropy, genetic covariance, bootstrap, quantitative genetics, *Daphnia pulex*, 1081
dispersal, genetic diversity, founder events, divergence, speciation, heterozygosity, copepods, *Heterocope septentrionalis*, 721
evolutionary ecology of *Daphnia pulex*, predation, reaction norm, *Chaoborus americanus*, 1665
life-history evolution, population diversity, genetic diversity, fitness, *Chaoborus americanus*, predation, *Daphnia pulex*, 82
potamonautid crabs, predator-prey coevolution, thiarid gastropods, behavior, shell morphology, predation success, Lake Tanganyika, 589
vicariance biogeography, temporal scaling, symbiosis, DNA hybridization, hydroids, *Hydractinia* spp., hermit crabs, *Pagurus* spp., 1301

DEVELOPMENT

developmental constraints, mutants, mutation, speciation, phylogenetic diversity, life history, germ, soma, Volvocaceae, *Volvox*, 1806

feather development, phenotypic and developmental correlations, feather pattern, developmental abnormalities, canalized growth, fluctuating asymmetry, warbler, *Phylloscopus inornatus*, 518

gastrulation mechanisms, lecithotrophic larvae, evolution, Echinoidea, sea urchin, *Heliocidaris erythrogramma*, 1741

life history, phenotypic plasticity, heritability, voltinism, development, local variation, temperature, water striders, *Gerris remigis*, 1520

mitochondrial DNA, cytonuclear measures, hybridization, disequilibrium, allozymes, cutthroat trout, *Oncorhynchus clarki*, 1332

morphogenesis, developmental constraints, carpal fusion, pattern formation, Mantel's permutation test, Urodeles, 1516

polychaete larvae, planktotrophy, lecithotrophy, life-history characters, genetic variation, *Streblospio benedicti*, 380

skeletal development, epigenetics, uterine effects, embryo transfer, maternal effects, maternal-fetal interactions, bone, quantitative genetics, mouse, 891

wing pattern, melanin, phenotypic characters, genetic correlation, coadaptation, quantitative genetics, western white butterfly, *Pieris occidentalis*, 1480

DROSOPHILA

alcohol tolerance, ethanol, metabolic flux, fatty acids, heritable variation, *Drosophila melanogaster*, 1107

coevolution, endosymbiont, male-lethal spiroplasmas, fitness, transmission rates, sex-ratio trait, *Drosophila willistoni*, 971

competitive ability, development time, extinction, *Drosophila simulans*, *D. funebris*, 307

copulation duration, direct response, correlated response, sexual selection, *Drosophila melanogaster*, 69

detoxication enzymes, environment-dependent expression, adaptation, *Drosophila melanogaster*, 791

ejaculate transfer, paternal investment, reproductive success, phylogenies, *Drosophila* spp., 774

ethanol adaptation, resource utilization, environmental heterogeneity, host response, heritable variation, *Drosophila melanogaster*, 1000

evolutionary organogenesis, cardia, digestive tract organ, cell differentiation, morphological adaptation, gene expression, phylogenetic analysis, *Drosophila* spp., 568

mating patterns, Kaneshiro hypothesis, *Drosophila mercatorum*, 455

sensitivity, larval food, body weight, phenotypic selection, artificial selection, reaction norm, *Drosophila melanogaster*, 1909

sexual isolation, *Drosophila mojavensis*, 1525

sexual preference by males, cactus reared females, assortative mating, *Drosophila pegasa*, 433

thermal sensitivity, laboratory natural selection, genetic constraints, *Drosophila melanogaster*, 751

ECHINODERMS

diversity, genetic exchange, population biology, mitochondrial DNA, Markov model, trans-Arctic populations, sea urchins, *Strongylocentrotus pallidus*, 1790

lecithotrophic larvae, gastrulation mechanisms, evolution, Echinoidea, sea urchin, *Heliocidaris erythrogramma*, 1741

ECOLOGY

competition, sib competition, complementation, fitness, selection, genetic interaction, evolution of sex, *Chlamydomonas reinhardtii*, 1036

competitive ability, population dynamics, leaf morphology, evolutionarily stable morphology, peas, 40

ecotypic divergence, genetic structure, allozyme variation, local adaptation, alpine plants, *Polemonium viscosum*, 1218

environmental heterogeneity, multiple-niche hypothesis, genotype-environment interaction, genotype fitness, genetic homeostasis, genetic variance, phenotypic variation, reaction norm, *Chlamydomonas reinhardtii*, 668

evolutionary ecology of *Daphnia pulex*, predation, reaction norm, *Chaoborus americanus*, 1665

evolution of generalists and specialists, heterogeneous environments, genotype-environment interaction, cost of adaptation, phenotypic plasticity, quantitative genetics, 1317

genotype-environment interaction, variance, variation, juvenile growth, hard clam, *Mercenaria mercenaria*, 1924

inflorescence traits, pollen placement, pollen limitation, seed set, phenotypic correlations, phenology, directional selection, natural selection, selection gradient, selection coefficient, bumblebee, hummingbird, *Lobelia* spp., 1468

mechanisms of selection, pollination, corolla morphology, phenotypic selection, male fitness, hummingbirds, herb, *Ipomopsis aggregata*, 1458

natal dispersal, dispersal distances, migration, population structure, indigo bunting, *Passerina cyanea*, 49

natural populations, mortality rates, senescence, comparative study, mammals, 1869

population ecology, environmental effects, life history, alternate hypotheses, clutch size, hypothesis testing, Lotka-Euler equation, 1947

population structure, gametophytes, sporophytes, haploid genetics, metal tolerance, bryophyte evolution, moss evolution, reproductive biology, *Funaria hygrometrica*, 1260

precalling period, migration potential, genetic variation, x-linkage, polymorphism, oriental armyworm, *Mythimna separata*, 1502

reproductive character displacement, male calling song, zone of overlap, ground crickets, *Allonemobius* spp., 1751

ELECTROPHORESIS (see also VARIATION—GENETIC)

allozymes, gene flow, linkage disequilibrium, sex linkage, mosaic hybrid zone, tension zone, cline, water striders, *Limnoporus* spp., 1370

breeding systems, population structure, rarity, self-incompatibility, genetic variation, *Aster furcatus*, 1641

electrophoretic genotype, rare alleles, inbreeding depression, overdominance, balancing selection, adaptive distance, life-history traits, loblolly pine, *Pinus taeda*, 481
genetic polymorphism, countervailing selection, fitness components, red deer, *Cervus elaphus*, 93
genetic population structure, host-parasite relationships, liver fluke, *Fascioloides magna*, white-tailed deer, *Odocoileus virginianus*, 1628
genetic variation, morphology, island fox, *Urocyon littoralis*, 1849
reproductive isolation, reinforcement, mosaic, hybrid zone, topographic diversity, ground crickets, *Allonemobius* spp., 1120

Fish

agonistic behavior, intraspecific competition, selection, growth, domestication, medaka, *Oryzias latipes*, 1936
allozymes, mitochondrial DNA, hybridization, meristic traits, cutthroat trout, *Oncorhynchus clarki*, 1350
asexual lineages, gynogenesis, clonal evolution, mitochondrial DNA, *Poecilia mexicana, P. formosa*, 1530
egg size, food abundance, variation, fitness, life history, brook trout, Salmonidae, *Salvelinus fontinalis*, 1162
experimental ethology, sexual selection, integration, macroevolution, phylogeny, *Gasterosteus aculeatus*, 1773
gene flow, mitochondrial DNA variation, natural selection, killifish, *Fundulus heteroclitus*, 1147
life-history traits, heterozygosity, environmental variability, genetic variation, correlation, bony fishes, 1275
mitochondrial DNA, cytonuclear measures, allozymes, hybridization, disequilibrium, cutthroat trout, *Oncorhynchus clarki*, 1332
morphological variance, allomeric variation, genetic variance, heritability, sculpins, *Cottus* spp., 1950
phylogeographic structure, mitochondrial DNA, pleistocene glaciations, glacial refugia, haplotype distribution and diversity, population differentiation, lake whitefish, *Coregonus clupeaformis*, 1016
reproductive isolation, introgression, contact zone, allozymes, mitochondrial DNA, *Notropis cornutus, N. chrysocephalus*, 944
sex-role reversal, egg competition, reproductive cost, subdominant females, intrasexual competition, dominance, pipefish, Syngnathidae, *Syngnathus typhle*, 770
trophic morphology, phenotypic plasticity, variation, cichlids, *Geophagus brasiliensis, G. steindachneri*, 1545

Fitness

competition, sib competition, selection, complementation, genetic interaction, evolution of sex, *Chlamydomonas reinhardtii*, 1036
countervailing selection, fitness components, genetic polymorphism, red deer, *Cervus elaphus*, 93
cytoplasmic inheritance, fitness components, cybrids, mitochondrial–nuclear interactions, introgression, neutral theory, tobacco, *Nicotiana tabacum*, 785
egg size, food abundance, variation, life history, brook trout, Salmonidae, *Salvelinus fontinalis*, 1162
fitness components, genetic correlation, genotype–environment interaction, heritability, life-history traits, path analysis, 853
genotype fitness, genotype-environment interaction, environmental heterogeneity, genetic homeostasis, genetic variance, phenotypic variation, multiple-niche hypothesis, reaction norm, *Chlamydomonas reinhardtii*, 668
Haldane's rule, hybrid fitness, heterogamety, 1707
hybrid sterility and inviability, sex chromosomes, meiotic drive theory, Haldane's rule, 1710
hybrid sterility, speciation, sex chromosomes, genome evolution, meiotic drive theory, Haldane's rule, 1714
interdemic selection, genetic variation, population increase, flour beetles, *Tribolium* spp., 1574
manipulated phenotype, mortality cost, natural selection, damselfly, Odonata, *Enallagma boreale*, 1091
mutations, asexual populations, Muller's Ratchet, sexual selection, 649
parental fitness, genetic variation, reproductive success, offspring mortality, 228
progeny performance, seed abortion, scarlett runner bean, *Phaseolus coccineus*, 1198
self-fertilization depression, cross-fertilization, hermaphrodite, intermediate host, freshwater snail, *Bulinus globosus*, 1136

Fungi

disease resistance, genetic hitchhiking, recombination, nonadaptive evolution, self-fertilization, pathogen, *Synchytrium decipiens*, legume, *Amphicarpaea bracteata*, 1209
genetic variation, fungal pathogens, chemical host defense, monoterpenes, pathogen growth rates, pest resistance, Scots pine, *Pinus sylvestris*, ascomycete, *Crumenulopsis sororia*, 190
host-pathogen interactions, coevolution, pathogen diversity, virulence, rust fungus, *Melampsora lini*, host resistance, racial variation, wild flax, *Linum marginale*, 205
host-pathogen interactions, coevolution, pathogen virulence, disease resistance, population structure, local variation, wild flax, *Linum marginale*, rust fungus, *Melampsora lini*, 1618

Gene Flow

dispersal, genetic structure, spatial autocorrelation, local population differentiation, effective population size, isolation by distance, philopatry, bannertailed kangaroo rat, *Dipodomys spectabilis*, 935
evolution of dispersal, migration modifier models, mating system models, self-fertilization, cleistogamy, 1717
gene dispersal, pollen and seed dispersal, outcrossing rate, Wright's neighborhood area, *Chamaecrista fasciculata*, 398
gene establishment, progeny fitness, genetic drift, *Chamaecrista fasciculata*, 410
genetic exchange, diversity, population biology, mitochondrial DNA, Markov model, trans-Arctic populations, sea urchin, *Strongylocentrotus pallidus*, 1790

hybrid zone, barriers, ecological genetics, grasshopper, *Caledia captiva*, 1606
induced self-pollination, evolution of autogamy, mating system estimation, natural selection, *Glycine clandestina, G. argyrea*, 1651
migration potential, precalling period, polymorphism, x-linkage, genetic variation, oriental armyworm, *Mythimna separata*, 1502
mitochondrial DNA variation, natural selection, killifish, *Fundulus heteroclitus*, 1147
mosaic hybrid zone, tension zone, cline, allozymes, linkage disequilibrium, sex linkage, water striders, *Limnoporus* spp., 1370
pollen dispersal, paternity analysis, *Ipomopsis aggregata*, 1965
pollen flow, population genetic structure, self-compatibility, inbreeding, ant foraging, ant pollination, worker ant, *Iridomyrmex gracilis*, clonal orchid, *Microtis parviflora*, 1837
reproductive isolation, introgression, contact zone, allozymes, mitochondrial DNA, *Notropis cornutus, N. chrysocephalus*, 944
"reticulate hybrid zone," allozymes, mitochondrial DNA, amphibians, newts, *Triturus cristatus, T. marmoratus*, 805
sperm dispersal, population structure, colonial ascidians, *Botryllus schlosseri*, 130

HYBRIDIZATION
allozymes, mitochondrial DNA, meristic traits, cutthroat trout, *Oncorhynchus clarki*, 1350
diploid hybrid speciation, chloroplast DNA, ribosomal DNA, phylogenetics, potato, *Solanum* sect. *Petota, S. raphanifolium*, 757
gene flow, "reticulate hybrid zone," allozymes, mitochondrial DNA, amphibians, newts, *Triturus cristatus, T. marmoratus*, 805
hybrid fitness, Haldane's rule, heterogamety, 1707
hybrid fitness, reproductive isolation, selection, migration, morphological variation, electrophoretic variation, fire-bellied toads, *Bombina bombina, B. variegata*, 237
hybrid sterility and inviability, sex chromosomes, meiotic drive theory, Haldane's rule, 1710
hybrid sterility, meiotic drive theory, Haldane's rule, sex chromosomes, genome evolution, speciation, 1714
hybrid zone, barriers, ecological genetics, grasshopper, *Caledia captiva*, 1606
hybrid zone, clines, parapatric speciation, Robertsonian complex heterozygotes, interchromosomal recombination, chromosomal races, common shrew, *Sorex araneus*, 1384
hybrid zone dynamics, cytonuclear disequilibria, mitochondrial and nuclear inheritance, restriction fragments, Fremont cottonwood, *Populus fremontii*, narrowleaf cottonwood, *P. angustifolia*, 1360
introgression, coyote mitochondrial DNA, gray wolf populations, *Canis lupus*, 104
mitochondrial DNA, cytonuclear measures, disequilibrium, allozymes, cutthroat trout, *Oncorhynchus clarki*, 1332
mosaic hybrid zone, tension zone, cline, gene flow, allozymes, linkage disequilibrium, sex linkage, water striders, *Limnoporus* spp., 1370
natural selection, trait interactions, experimental populations, multivariate selection analysis, local adaptation, path analysis, *Diodia teres*, 1760
reproductive isolation, introgression, contact zone, allozymes, mitochondrial DNA, *Notropis cornutus, N. chrysocephalus*, 944
reproductive isolation, reinforcement, mosaic, hybrid zone, topographic diversity, electrophoresis, ground crickets, *Allonemobius* spp., 1120
sex-biased hybrid sterility and inviability, meiotic drive-suppression systems, divergence, sex chromosome drive, Haldane's rule, hybrid fitness, 262
zone of overlap, reproductive character displacement, male calling song, ground crickets, *Allonemobius* spp., 1751

INBREEDING
altruism, group selection, kin selection, relatedness, population structure, spatial distribution, social bees, *Exoneura bicolor*, 680
inbreeding depression, inbreeding coefficient, outbreeding depression, 622
inbreeding depression, rare alleles, overdominance, balancing selection, electrophoretic genotype, adaptive distance, life-history traits, loblolly pine, *Pinus taeda*, 481
inbreeding depression, seed survivorship, seed abortion, self progeny, *Phlox drummondii*, 1047
seed size variation, mating system, multiple paternity, *Crinum erubescens*, 883
self-compatibility, population genetic structure, ant foraging, ant pollination, pollen flow, worker ant, *Iridomyrmex gracilis*, clonal orchid, *Microtis parviflora*, 1837
self-incompatibility, fecundity depression, reproductive success, pollen performance, tropical herb, *Crinum erubescens*, 712

INSECTS (see also DROSOPHILA)
allozyme heterozygosity, haplodiploidy, genetic variation, Thysanoptera, 458
ant foraging, ant pollination, pollen flow, population genetic structure, inbreeding, self-compatibility, worker ant, *Iridomyrmex gracilis*, clonal orchid, *Microtis parviflora*, 1837
ecological genetics, hybrid zone, barriers, grasshopper, *Caledia captiva*, 1606
gene flow, allozymes, linkage disequilibrium, sex linkage, mosaic hybrid zone, tension zone, cline, water striders, *Limnoporus* spp., 1370
geographic variation, maternal effects, age effects, diapause, adaptation, seasonality, voltinism, striped ground cricket, *Allonemobius fasciatus*, 1053
insect-plant interactions, population structure, demographic genetics, quantitative genetics, heterogeneous environments, reciprocal transplant, pea aphid, *Acyrthosiphon pisum*, 827
interclonal competition, geographic variation, covariation, secular variation, variability, aphids, *Pemphigus*, 1585
interdemic selection, population increase, genetic variation, fitness, flour beetles, *Tribolium* spp., 1574
life history, local variation, phenotypic plasticity,

heritability, voltinism, temperature, development, water striders, *Gerris remigis,* 1520
male calling song, reproductive character displacement, zone of overlap, ground crickets, *Allonemobius* spp., 1751
male dimorphism, developmental constraints, horned beetles, earwigs, natural selection, 18
mating propensity, courtship behavior, bottlenecks, assortative mating, divergence, premating isolation, housefly, *Musca domestica,* 293
mating success, insemination, sex ratio, environmental variability, fitness, body size, ectoparasitoid, *Diglyphus begini,* 1511
migration potential, precalling period, x-linkage, polymorphism, genetic variation, oriental armyworm, *Mythimna separata,* 1502
mortality cost, manipulated phenotype, natural selection, damselfly, Odonata, *Enallagma boreale,* 1091
Müllerian vs. Batesian mimicry, laboratory demonstration of mimicry, aversive conditioning in behavior, unpalatability, Florida viceroy, *Limenitis archippus floridensis,* Florida queens, *Danaus gilippus berenice,* 918
origin of parthenogenesis, polyploidy, genetic diversity, genetic identity, polyphyly, phylogeny, 1685
parasitoid wasps, fully-winged males, Local Mate Competition theory, *Nasonia giraulti,* 225
phenotypic plasticity, genetic variation, life-history variation, polyphenism, antagonistic pleiotropy, host alternation, heteroecy, aphid, *Pemphigus betae,* 957
phylogeny, mitochondrial DNA, genetic variation, divergence, *Aedes* spp., 120
pollinator adaptation, floral oil, *Diascia* spp., oil-collecting bees, *Rediviva,* 1493
population structure, polymorphism, lineage sorting, mitochondrial DNA, monarch butterflies, *Danaus plexippus,* 1281
predation, reaction norm, evolutionary ecology of *Daphnia pulex, Chaoborus americanus,* 1665
reproductive isolation, reinforcement, mosaic, hybrid zone, topographic diversity, electrophoresis, ground crickets, *Allonemobius* spp., 1120
social hymenoptera, workers, colony sex allocation ratios, queen mating frequency, facultative bias, 281
spatial distribution, population structure, altruism, group selection, kin selection, relatedness, inbreeding, social bees, *Exoneura bicolor,* 680
specialist herbivore, population structure, host patch size, emigration, allozymes, *Tetraopes tetraophthalmus,* 1675
sperm competition, spermatophores, mating effort, paternal investment, courtship feeding, bush cricket, *Decticus verrucivorus,* 1975
wing pattern, melanin, development, phenotypic characters, genetic correlation, coadaptation, quantitative genetics, western white butterfly, *Pieris occidentalis,* 1480

Life History

cyclical parthenogenesis, population differentiation, antagonistic pleiotropy, genetic covariance, bootstrap, quantitative genetics, *Daphnia pulex,* 1081
developmental constraints, phylogenetic diversity, mutants, mutation, speciation, germ, soma, Volvocaceae, *Volvox,* 1806
egg size, food abundance, variation, fitness, brook trout, Salmonidae, *Salvelinus fontinalis,* 1162
electrophoretic genotype, inbreeding depression, rare alleles, overdominance, balancing selection, adaptive distance, loblolly pine, *Pinus taeda,* 481
evolutionary constraint, genetic covariance, fitness function, genetic correlations, quantitative genetics, 630
evolution of life history, population diversity, genetic diversity, fitness, *Chaoborus americanus* predation, *Daphnia pulex,* 82
genetic constraints, tradeoffs, artificial selection, *Brassica campestris,* 371
genetic variation, quantitative traits, morphology, microgeographic spatial structure, *Impatiens capensis,* 178
heritability estimates, population parameters, floral traits, planting density, phenotype, *Raphanus sativus,* 1888
heritability, genotype–environment interaction, genetic correlation, fitness components, path analysis, 853
heterozygosity, environmental variability, genetic variation, correlation, bony fishes, 1275
phenotypic plasticity, genetic variation, polyphenism, antagonistic pleiotropy, host alternation, heteroecy, aphid, *Pemphigus betae,* 957
phenotypic plasticity, heritability, local variation, voltinism, temperature, development, water striders, *Gerris remigis,* 1520
polychaete larval development, planktotrophy, lecithotrophy, genetic variation, *Streblospio benedicti,* 380
population ecology, clutch size, environmental effects, hypothesis testing, alternate hypothesis, Lotka-Euler equation, 1947

Mammals

chromosomal races, interchromosomal recombination, Robertsonian complex heterozygotes, parapatric speciation, clines, hybrid zones, common shrew, *Sorex araneus,* 1384
countervailing selection, fitness components, genetic polymorphism, red deer, *Cervus elaphus,* 93
dispersal, genetic structure, gene flow, spatial autocorrelation, local population differentiation, effective population size, isolation by distance, philopatry, bannertailed kangaroo rat, *Dipodomys spectabilis,* 935
gray wolf populations, coyote mitochondrial DNA, introgression, hybridization, *Canis lupus,* 104
host–parasite relationships, genetic population structure, liver fluke, *Fascioloides magna,* white-tailed deer, *Odocoileus virginianus,* 1628
migration distances, dispersal distances (vs. rate), geographic variation, mitochondrial DNA, sequence divergence, deer mouse, *Peromyscus maniculatus,* 423
morphology, electrophoresis, genetic variation, island fox, *Urocyon littoralis,* 1849
odontometric asymmetry, morphological variability, genetic monomorphism, cheetah, *Acinonyx jubatus,* caracal, *Felis caracal,* wild cat, *F. lybica,* 1175

senescence, mortality rates, natural populations, comparative study, 1869
skeletal development, epigenetics, uterine effects, embryo transfer, maternal effects, maternal–fetal interactions, bone, quantitative genetics, mouse, 891
sperm competition (scramble vs. contest), nonfertilizing sperm evolution, "kamikaze" sperm hypothesis, 314
ursids, mitochondrial DNA, phylogeny, restriction fragment analysis, 218

MOLECULAR EVOLUTION
allozymes, mitochondrial DNA, hybridization, meristic traits, cutthroat trout, *Oncorhynchus clarki*, 1350
chloroplast DNA, inversion, evolutionary history, *Oenothera*, 1050
DNA hybridization, vicariance biogeography, temporal scaling, symbiosis, hydroids, *Hydractinia* spp., hermit crabs, *Pagurus* spp., 1301
DNA sequence divergence, restriction endonuclease, genetic exchange, sexual isolation, transformation, bacterial species, *Bacillus subtilis*, 1393
genetic exchange, mitochondrial DNA, Markov model, diversity, population biology, trans-Arctic populations, sea urchins, *Strongylocentrotus pallidus*, 1790
mitochondrial and nuclear inheritance, restriction fragments, cytonuclear disequilibria, hybrid zone dynamics, Fremont cottonwood, *Populus fremontii*, narrowleaf cottonwood, *P. angustifolia*, 1360
mitochondrial DNA, allozymes, cytonuclear measures, disequilibrium, hybridization, cutthroat trout, *Oncorhynchus clarki*, 1332
mitochondrial DNA, clonal evolution, asexual lineages, gynogenesis, *Poecilia mexicana*, *P. formosa*, 1530
mitochondrial DNA, gene exchange, geographic variation, sympatric species, fox sparrow, *Passerella iliaca*, song sparrow, *Melospiza melodia*, 329
mitochondrial DNA, lineage sorting, polymorphism, population structure, monarch butterflies, *Danaus plexippus*, 1281
mitochondrial DNA, phylogeny, divergence, genetic variation, *Aedes* spp., 120
mitochondrial DNA, restriction fragment analysis, phylogeny, ursids, 218
mitochondrial DNA, sequence divergence, dispersal distance (vs. rate), migration distances, geographic variation, deer mouse, *Peromyscus maniculatus*, 423
mitochondrial DNA variation, gene flow, natural selection, killifish, *Fundulus heteroclitus*, 1147
molecular systematics, phylogeny, chloroplast DNA, structural rearrangement, *rpl*2 intron, dicotyledons, 1245
phylogeographic structure, glacial refugia, pleistocene glaciations, mitochondrial DNA, haplotype distribution and diversity, population differentiation, lake whitefish, *Coregonus clupeaformis*, 1016
reticulate speciation, plastid and nuclear genomes, interspecific cytoplasmic transfer, introgression, semigamy, phylogeny, Australian cotton, *Gossypium bickii*, 694

MOLLUSKS
aposematism, synergistic selection, defensive coloration, marine gastropods, 449
aposematism, synergistic selection, marine gastropods, 451
courtship, mate choice, ligula length, nonallometric growth, *Octopus digueti*, 1726
hermaphrodite, intermediate host, self-fertilization depression, cross-fertilization, freshwater snail, *Bulinus globosus*, 1136
juvenile growth, genotype-environment interaction, variance, variation, hard clam, *Mercenaria mercenaria*, 1924
single-gene speciation, reproductive isolation, maternal inheritance, land snail, *Partula*, 764
thiarid gastropods, predator-prey coevolution, potamonautid crabs, shell morphology, behavior, predation success, Lake Tanganyika, 589

MORPHOLOGY
colony morphology, morphological variation, clonal repeatability, intraspecific variation, natural selection, colonial invertebrate, hydroid, *Hydractinia*, 1564
genetic variation, electrophoresis, island fox, *Urocyon littoralis*, 1849
leaf morphology, evolutionarily stable morphology, population dynamics, competitive ability, peas, 40
morphological adaptation, evolutionary organogenesis, cell differentiation, cardia, digestive tract organ, gene expression, phylogenetic analysis, *Drosophila* spp., 568
morphological variability, odontometric asymmetry, genetic monomorphism, cheetah, *Acinonyx jubatus*, caracal, *Felis caracal*, wildcat, *F. lybica*, 1175
morphological variance, allomeric variation, genetic variance, heritability, sculpins, *Cottus* spp., 1950
morphological variation, electrophoretic variation, reproductive isolation, hybrid fitness, selection, migration, fire-bellied toads, *Bombina bombina*, *B. variegata*, 237
quantitative traits, genetic variation, microgeographic spatial structure, *Impatiens capensis*, 178
shell morphology, behavior, predation success, predator-prey coevolution, thiarid gastropods, potamonautid crabs, Lake Tanganyika, 589
trophic morphology, phenotypic plasticity, variation, cichlids, *Geophagus brasiliensis*, *G. steindachneri*, 1545

PALEONTOLOGY
Archaeopteryx, flight capacity, reptilian (vs. avian) physiology, avian evolution, 1
vicariance biogeography, temporal scaling, DNA hybridization, symbiosis, hydroids, *Hydractinia* spp., hermit crabs, *Pagurus* spp., 1301

PARASITISM (see SYMBIOSIS)

PHYLOGENY
chlorolast DNA, *rpl* 2 intron, structural rearrangement, molecular systematics, dicotyledons, 1245
comparative analysis, phylogenetic analysis, evolutionary constraints, maximum-likelihood, 1065
diploid hybrid speciation, chloroplast DNA, ribosomal DNA, hybridization, potato, *Solanum* sect. *Petota*, *S. raphanifolium*, 757

ejaculate transfer, paternal investment, reproductive success, *Drosophila* spp., 774
homoplasy, topological patterns, closely related taxa, statistical tests, 351
integration, sexual selection, macroevolution, experimental ethology, *Gasterosteus aculeatus*, 1773
mitochondrial DNA, genetic variation, divergence, *Aedes* spp., 120
mitochondrial DNA, ursids, restriction fragment analysis, 218
null model, phylogenetic tree, random character, random tree, 1184
phylogenetic analysis, clutch size, body size, variability, variance, scincid lizards, 1696
phylogenetic analysis, continuous characters, phylogenetic inertia, systematics, computer simulation, comparative method, punctuated equilibrium, gradualism, coadaptation, coevolution, 534
phylogenetic analysis, evolutionary organogenesis, cardia, digestive tract organ, cell differentiation, morphological adaptation, gene expression, *Drosophila* spp., 568
phylogenetic diversity, speciation, developmental constraints, life history, mutants, mutation, germ, soma, Volvocaceae, *Volvox*, 1806
phylogenetic topologies, monophyletic lineages, null expectations, insects, tetrapods, angiosperms, 340
phylogeographic structure, glacial refugia, pleistocene glaciations, mitochondrial DNA, haplotype distribution and diversity, population differentiation, lake whitefish, *Coregonus clupeaformis*, 1016
physiology, thermal biology, sprint speed, coadaptation, comparative method, lizards, Reptilia, 1969
polyphyly, genetic identity, genetic diversity, polyploidy, origin of parthenogenesis, 1685
reticulate speciation, plastid and nuclear genomes, interspecific cytoplasmic transfer, introgression, semigamy, Australian cotton, *Gossypium bickii*, 694
sexual size dimorphism, mating system, quantitative traits, drift, grackles, *Quiscalus* spp., 608

PHYSIOLOGY
alcohol tolerance, ethanol, metabolic flux, fatty acids, heritable variation, *Drosophila melanogaster*, 1107
detoxication enzymes, environment-dependent expression, adaptation, *Drosophila melanogaster*, 791
reptilian (vs. avian) physiology, *Archaeopteryx*, flight capacity, avian evolution, 1
thermal biology, sprint speed, coadaptation, comparative method, phylogeny, lizards, Reptilia, 1969

PLANTS (see also REPRODUCTION—PLANT)
chemical host defense, fungal pathogens, genetic variation, pathogen growth rates, pest resistance, monoterpenes, Scots pine, *Pinus sylvestris*, ascomycete, *Crumenulopsis sororia*, 190
corolla morphology, pollination, phenotypic selection, mechanisms of selection, male fitness, hummingbirds, herb, *Ipomopsis aggregata*, 1458
cytoplasmic inheritance, fitness components, cybrids, mitochondrial–nuclear interactions, introgression, neutral theory, tobacco, *Nicotiana tabacum*, 785
diploid hybrid speciation, hybridization, chloroplast DNA, ribosomal DNA, phylogenetics, potato, *Solanum* sect. *Petota*, *S. raphanifolium*, 757
disease resistance, genetic hitchhiking, recombination, self-fertilization, nonadaptive evolution, pathogen, *Synchytrium decipiens*, legume, *Amphicarpaea bracteata*, 1209
ecotypic divergence, genetic structure, allozyme variation, local adaptation, alpine plants, *Polemonium viscosum*, 1218
electrophoretic genotype, life-history traits, inbreeding depression, rare alleles, overdominance, balancing selection, adaptive distance, loblolly pine, *Pinus taeda*, 481
evolutionarily stable morphology, population dynamics, competitive ability, leaf morphology, peas, 40
evolutionary history, chloroplast DNA, inversion, *Oenothera*, 1050
flexural stiffness, allometry, biomechanics, convergence, angiosperms, ferns, petioles, rachises, selection, 734
floral oil, pollinator adaptation, *Diascia* spp., oil-collecting bees, *Rediviva*, 1493
floral traits, phenotype, population parameters, heritability estimates, life history, planting density, *Raphanus sativus*, 1888
fruit set, pollen addition, gender dimorphism, gynodioecy, clonal repeatability, *Hebe subalpina*, 1957
gene flow, gene establishment, progeny fitness, genetic drift, *Chamaecrista fasciculata*, 410
gene flow, pollen dispersal, paternity analysis, *Ipomopsis aggregata*, 1965
genetic constraints, life-history characters, tradeoffs, artificial selection, *Brassica campestris*, 371
genetic differentiation, heterozygosity, herbivory, resistance, environmental stress, selection, pinyon pine, *Pinus edulis*, 989
genetic divergence, maximum-likelihood, quantitative genetics, grass, *Holcus lanatus*, 1287
genetic variation, covariation, heritability, quantitative genetics, fitness traits, *Phlox drummondii*, 169
genetic variation, Low Marginal Variance theory, population genetics, Myrtaceae, *Leptospermum scoparium*, 780
genetic variation, quantitative genetics, morphology, life-history traits, microgeographic spatial structure, *Impatiens capensis*, 178
host patch size, specialist herbivore, insects, population structure, emigration, allozymes, *Tetraopes tetraophthalmus*, 1675
host-pathogen interactions, coevolution, host resistance, racial variation, wild flax, *Linum marginale*, pathogen diversity, virulence, rust fungus, *Melampsora lini*, 205
host-pathogen interactions, coevolution, pathogen virulence, disease resistance, population structure, local variation, wild flax, *Linum marginale*, rust fungus, *Melampsora lini*, 1618
hybrid zone dynamics, cytonuclear disequilibria, mitochondrial and nuclear inheritance, restriction fragments, Fremont cottonwood, *Populus fremontii*, narrowleaf cottonwood, *P. angustifolia*, 1360
inbreeding depression, seed survivorship, seed abortion, self progeny, *Phlox drummondii*, 1047

induced self-pollination, evolution of autogamy, mating system estimation, natural selection, *Glycine clandestina, G. argyrea,* 1651
inflorescence traits, pollen placement, pollen limitation, seed set, phenotypic correlations, phenology, directional selection, natural selection, selection gradient, selection coefficient, bumblebee, hummingbird, *Lobelia* spp., 1468
insect-plant interactions, population structure, demographic genetics, quantitative genetics, heterogeneous environments, reciprocal transplant, pea aphid, *Acyrthosiphon pisum,* 827
molecular systematics, phylogeny, chloroplast DNA, structural rearrangement, *rpl* 2 intron, dicotyledons, 1245
morphometry, ontogeny, genetic correlations, pleiotropy, natural selection, covariance, tropical vine, *Dalechampia scandens,* 1229
pollen and seed dispersal, gene flow, gene dispersal, outcrossing rate, Wright's neighborhood area, *Chamaecrista fasciculata,* 398
population genetic structure, inbreeding, self-compatibility, ant foraging, ant pollination, pollen flow, worker ant, *Iridomyrmex gracilis,* clonal orchid, *Microtis parviflora,* 1837
rarity, self-incompatibility, population structure, breeding systems, electrophoresis, genetic variation, *Aster furcatus,* 1641
reproductive success, self-incompatibility, fecundity depression, inbreeding, pollen performance, tropical herb, *Crinum erubescens,* 712
reticulate speciation, plastid and nuclear genomes, interspecific cytoplasmic transfer, introgression, semigamy, phylogeny, Australian cotton, *Gossypium bickii,* 694
seed size variation, mating system, multiple paternity, inbreeding, *Crinum erubescens,* 883
sex ratio, migration, pollen flow, sex differences, population subdivision, 1289
tetrasomic species, allozyme heterozygosity, quantitative traits, genetic variation, orchardgrass, *Dactylis glomerata,* 359
trait interactions, experimental populations, natural selection, local adaptation, multivariate selection analysis, path analysis, *Diodia teres,* 1760

Prokaryotes

coevolution, plasmids, bacteria, continuous culture, reproductive fitness, *Escherichia coli,* 656
host–parasite systems, bacteria, bacteriophage, f_1, evolution, mode of transmission, benevolence, cooperation, selection, 875
sexual isolation, transformation, genetic exchange, DNA sequence divergence, restriction endonuclease, bacterial species, *Bacillus subtilis,* 1393

Quantitative Genetics

covariance, morphometry, genetic correlations, ontogeny, pleiotropy, natural selection, tropical vine, *Dalechampia scandens,* 1229
epigenetics, uterine effects, skeletal development, bone, embryo transfer, maternal effects, maternal–fetal interactions, mouse, 891
evolution of generalists and specialists, heterogeneous environments, genotype-environment interaction, cost of adaptation, phenotypic plasticity, 1317
fitness traits, heritability, covariation, genetic variation, *Phlox drummondii,* 169
genetic covariance, bootstrap, cyclical parthenogenesis, life history, population differentiation, antagonistic pleiotropy, *Daphnia pulex,* 1081
genetic covariance, fitness function, genetic correlations, evolutionary constraint, life history, 630
genetic covariance, fitness function, genetic correlations, evolutionary constraint, life history, 630
genetic divergence, maximum-likelihood, grass, *Holcus lanatus,* 1287
microevolutionary processes, spatial autocorrelation analysis, gene frequencies, populations, 152
populations, genetic variation, covariation, maximum-likelihood method, component matrices, *Peromyscus* populations, 143
population structure, demographic genetics, heterogeneous environments, insect-plant interactions, reciprocal transplant, pea aphid, *Acyrthosiphon pisum,* 827
quantitative characters, phenotypic variance, covariance, phenotypic (vs. genetic) parameters, 441
wing pattern, melanin, development, phenotypic characters, genetic correlation, coadaptation, quantitative genetics, western white butterfly, *Pieris occidentalis,* 1480

Reproduction—Animal

egg reciprocation, biparental care, mating system, hermaphroditic polychaete worms, *Ophryotrocha diadema,* 63
ejaculate transfer, paternal investment, reproductive success, phylogenies, *Drosophila* spp., 774
insemination, mating success, sex ratio, environmental variability, fitness, body size, ectoparasitoid, *Diglyphus begini,* 1511
nonfertilizing sperm evolution, sperm competition (scramble vs. contest), "kamikaze" sperm hypothesis, 314
offspring mortality, parental fitness, reproductive success, genetic variation, 228
reproductive isolation, reinforcement, mosaic, hybrid zone, topographic diversity, electrophoresis, ground crickets, *Allonemobius* spp., 1120
self-fertilization depression, cross-fertilization, hermaphrodite, intermediate host, freshwater snail, *Bulinus globosus,* 1136
self-fertilization, mating system models, cleistogamy, evolution of dispersal, migration modifier models, 1717
single-gene speciation, reproductive isolation, maternal inheritance, land snail, *Partula,* 764
sperm dispersal, population structure, gene flow, colonial ascidians, *Botryllus schlosseri,* 130

Reproduction—Plant

gametophytes, sporophytes, population structure, haploid genetics, bryophyte evolution, moss evolution, metal tolerance, *Funaria hygrometrica,* 1260
reproductive success, seed production, floral variation, pollinator discrimination, wild radish, *Raphanus sativus,* 268
seed abortion, progeny performance, scarlett runner bean, *Phaseolus coccineus,* 1198

Reptiles
clutch size, body size, phylogenetic analysis, variability, variance, scincid lizards, 1696
predator adaptation, resistance, garter snake, *Thamnophis sirtalis,* newt toxicity, antipredator mechanisms, *Taricha granulosa,* 221
sex determination, environmental (vs. genetic), sexual dimorphism hypothesis, adaptive significance, 435
thermal biology sprint speed, physiology, coadaptation, comparative method, phylogeny, lizards, Reptilia, 1969

Selection—Experimental
courtship behavior, mating propensity, assortative mating, premating isolation, bottlenecks, divergence, housefly, *Musca domestica,* 293
genetic constraints, life-history characters, tradeoffs, artificial selection, *Brassica campestris,* 371
host–parasite systems, bacteria, bacteriophage, f_1, evolution, mode of transmission, benevolence, cooperation, 875
population diversity, genetic diversity, fitness, life-history evolution, *Chaoborus americanus* predation, *Daphnia pulex,* 82
sensitivity, larval food, body weight, phenotypic plasticity, reaction norm, *Drosophila melanogaster,* 1909
thermal sensitivity, laboratory natural selection, genetic constraints, *Drosophila melanogaster,* 751
trait interactions, experimental populations, natural selection, local adaptation, multivariate selection analysis, path analysis, *Diodia teres,* 1760

Selection—Natural
aposematism, synergistic selection, marine gastropods, 451
body size, laying date, survival, tree swallow, *Tachycineta bicolor,* 1169
chromosome evolution, fixation probability, karyotype, continuous population, migration, neighborhood size, disruptive selection, shifting balance, stochastic processes, 499
convergence, flexural stiffness, allometry, biomechanics, angiosperms, ferns, petioles, rachises, 734
disease resistance, genetic hitchhiking, recombination, nonadaptive evolution, self-fertilization, pathogen, *Synchytrium decipiens,* legume, *Amphicarpaea bracteata,* 1209
gene flow, mitochondrial DNA variation, killifish, *Fundulus heteroclitus,* 1147
genetic differentiation, heterozygosity, herbivory, resistance, environmental stress, pinyon pine, *Pinus edulis,* 989
induced self-pollination, evolution of autogamy, mating system estimation, *Glycine clandestina, G. argyrea,* 1651
inflorescence traits, pollen placement, pollen limitation, seed set, phenotypic correlations, phenology, directional selection, selection gradient, selection coefficient, bumblebee, hummingbird, *Lobelia* spp., 1468
intraspecific competition, agonistic behavior, growth, domestication, medaka, *Oryzias latipes,* 1936
intraspecific competition, morphological variation, colony morphology, clonal repeatability, colonial invertebrate, hydroid, *Hydractinia,* 1564
male dimorphism, developmental constraints, horned beetles, earwigs, 18
manipulated phenotype, mortality cost, damselfly, Odonata, *Enallagma boreale,* 1091
measurement of, lifetime data, 454
mechanisms of selection, phenotypic selection, corolla morphology, pollination, male fitness, hummingbirds, herb, *Ipomopsis aggregata,* 1458
morphometric variability, phenotypic evolution, neutral model, chaffinches, *Fringilla coelebs,* 29
morphometry, ontogeny, genetic correlations, pleiotropy, covariance, tropical vine, *Dalechampia scandens,* 1229
sexual isolation, transformation, genetic exchange, DNA sequence divergence, restriction endonuclease, bacterial species, *Bacillus subtilis,* 1393
synergistic selection, aposematism, defensive coloration, marine gastropods, 449
thermal sensitivity, laboratory natural selection, genetic constraints, *Drosophila melanogaster,* 751
trait interactions, experimental populations, local adaptation, multivariate selection analysis, path analysis, *Diodia teres,* 1760

Selection—Sexual
copulation duration, direct response, correlated response, *Drosophila melanogaster,* 69
courtship behavior, premating isolation, mating propensity, assortative mating, divergence, bottlenecks, housefly, *Musca domestica,* 293
integration, phylogeny, macroevolution, experimental ethology, *Gasterosteus aculeatus,* 1773
male choice, sexual characters, deleterious mutations, handicap principle, 1431
mate choice, ligula length, courtship, nonallometric growth, *Octopus digueti,* 1726
mate choice, sexual characters, sexy son, mutation pressure, runaway process, 1422
mate preference, diploid model, polymorphism, disequilibrium, 1443
mating patterns, Kaneshiro hypothesis, *Drosophila mercatorum,* 455
mutations, asexual populations, Muller's Ratchet, fitness, 649
plumage color, female mimicry, delayed plumage maturation, mating success, aggression, pied flycatcher, *Ficedula hypoleuca,* 910
sexual cannibalism, size dimorphism, courtship behavior, mating, orb-weaving spiders, Araneidae, 444
sexual isolation, *Drosophila mojavensis,* 1525
sexual preference by males, cactus reared females, assortative mating, *Drosophila pegasa,* 433
sexual size dimorphism, mating system, phylogeny, quantitative traits, drift, grackles, *Quiscalus* spp., 608
sperm competition, courtship feeding, mating effort, paternal investment, spermatophores, bush cricket, *Decticus verrucivorus,* 1975
tail ornament size, phenotypic plasticity, heritability, repeatability, infection, mite, *Ornithonyssus bursa,* barn swallow, *Hirundo rustica,* 1823

Sex
clonal repeatability, pollen addition, gynodioecy, gender dimorphism, fruit set, *Hebe subalpina,* 1957
evolution of sex, complementation, competition, ge-

netic interaction, sib competition, selection, fitness, *Chlamydomonas reinhardtii*, 1036
hybrid fitness, Haldane's rule, heterogamety, 1707
sex chromosomes, genome evolution, speciation, hybrid sterility, Haldane's rule, meiotic drive theory, 1714
sex chromosomes, hybrid sterility and inviability, meiotic drive theory, Haldane's rule, 1710
sex determination, environmental (vs. genetic), sexual dimorphism hypothesis, adaptive significance, reptiles, 435
sex-role reversal, egg competition, reproductive cost, subdominant females, intrasexual competition, dominance, pipefish, Syngnathidae, *Syngnathus typhle*, 770

SEX RATIO
colony sex allocation ratios, queen mating frequency, facultative bias, workers, social hymenoptera, 281
Local Mate Competition theory, fully-winged males, parasitoid wasps, *Nasonia girault*i, 225
mating success, insemination, environmental variability, fitness, body size, ectoparasitoid, *Diglyphus begini*, 1511
migration, pollen flow, sex differences, population subdivision, 1289
sex-ratio trait, coevolution, endosymbiont, male-lethal spiroplasmas, fitness, transmission rates, *Drosophila willistoni*, 971

SYMBIOSIS
coevolution, endosymbiont, male-lethal spiroplasmas, fitness, transmission rates, sex-ratio trait, *Drosophila willistoni*, 971
host–parasite relationships, genetic population structure, liver fluke, *Fascioloides magna*, white-tailed deer, *Odocoileus virginianus*, 1628
host–parasite systems, bacteria, bacteriophage, f_1, evolution, mode of transmission, benevolence, cooperation, selection, 875
vicariance biogeography, temporal scaling, DNA hybridization, hydroids, *Hydractinia* spp., hermit crabs, *Pagurus* spp., 1301

VARIATION—GENETIC
allozyme heterozygosity, haplodiploidy, Thysanoptera, 458
allozyme heterozygosity, tetrasomic species, quantitative traits, orchardgrass, *Dactylis glomerata*, 359
allozymes, population structure, insects, specialist herbivore, host patch size, emigration, *Tetraopes tetraophthalmus*, 1675
covariation, populations, maximum-likelihood method, component matrices, *Peromyscus* populations, 143
DNA sequence divergence, genetic exchange, sexual isolation, transformation, restriction endonuclease, bacterial species, *Bacillus subtilis*, 1393
ecotypic divergence, genetic structure, allozyme variation, local adaptation, alpine plants, *Polemonium viscosum*, 1218
electrophoretic variation, reproductive isolation, hybrid fitness, selection, migration, morphological variation, fire-bellied toads, *Bombina bombina, B. variegata*, 237
fitness traits, covariation, quantitative genetics, heritability, *Phlox drummondii*, 169
fungal pathogens, pathogen growth rates, chemical host defense, monoterpenes, pest resistance, Scots pine, *Pinus sylvestris*, ascomycete, *Crumenulopsis sororia*, 190
gene flow, gene establishment, progeny fitness, genetic drift, *Chamaecrista fasciculata*, 410
genetic differentiation, heterozygosity, herbivory, resistance, environmental stress, selection, pinyon pine, *Pinus edulis*, 989
genetic diversity, dispersal, divergence, speciation, founder events, heterozygosity, copepods, *Heterocope septentrionalis*, 721
genetic diversity, polyploidy, origin of parthenogenesis, polyphyly, phylogeny, genetic identity, 1685
genetic polymorphism, countervailing selection, fitness components, red deer, *Cervus elaphus*, 93
genotype fitness, genotype-environment interaction, genetic homeostasis, genetic variance, environmental heterogeneity, phenotypic variation, multiple-niche hypothesis, reaction norm, *Chlamydomonas reinhardtii*, 668
heritable variation, metabolic flux, fatty acids, alcohol tolerance, ethanol, *Drosophila melanogaster*, 1107
heritable variation, resource utilization, host response, ethanol adaptation, environmental heterogeneity, *Drosophila melanogaster*, 1000
insect-plant interactions, population structure, demographic genetics, quantitative genetics, heterogeneous environments, reciprocal transplant, pea aphid, *Acyrthosiphon pisum*, 827
interclonal competition, geographic variation, secular variation, covariation, variability, aphids, *Pemphigus*, 1585
interdemic selection, fitness, population increase, flour beetles, *Tribolium* spp., 1574
introgression, coyote mitochondrial DNA, gray wolf populations, hybridization, *Canis lupus*, 104
life-history traits, heterozygosity, environmental variability, correlation, bony fishes, 1275
life-history traits, quantitative traits, morphology, microgeographic spatial structure, *Impatiens capensis*, 178
Low Marginal Variance theory, population genetics, Myrtaceae, *Leptospermum scoparium*, 780
mitochondrial DNA, divergence, phylogeny, *Aedes* spp., 120
morphological variance, allomeric variation, heritability, sculpins, *Cottus* spp., 1950
morphology, electrophoresis, island fox, *Urocyon littoralis*, 1849
odontometric asymmetry, morphological variability, genetic monomorphism, cheetah, *Acinonyx jubatus*, caracal, *Felis caracal*, wild cat, *F. lybica*, 1175
phenotypic plasticity, life-history variation, polyphenism, antagonistic pleiotropy, host alternation, heteroecy, aphid, *Pemphigus betae*, 957
polychaete larval development, planktotrophy, lecithotrophy, life-history characters, *Streblospio benedicti*, 380
polymorphism, x-linkage, migration potential, precalling period, oriental armyworm, *Mythimna separata*, 1502

rarity, self-incompatibility, breeding systems, population structure, electrophoresis, *Aster furcatus,* 1641
reproductive success, parental fitness, offspring mortality, 228
sympatric species, geographic variation, gene exchange, mitochondrial DNA, fox sparrow, *Passerella iliaca,* song sparrow, *Melospiza melodia,* 329

VARIATION—PHENOTYPIC
clutch size, body size, phylogenetic analysis, variability, variance, scincid lizards, 1696
developmental constraints, carpal fusion, morphogenesis, pattern formation, Mantel's permutation test, Urodeles, 1516
egg size, food abundance, fitness, life history, brook trout, Salmonidae, *Salvelinus fontinalis,* 1162
evolutionarily stable morphology, leaf morphology, competitive ability, population dynamics, peas, 40
floral variation, reproductive success, seed production, pollinator discrimination, wild radish, *Raphanus sativus,* 268
genetic variation, life-history traits, quantitative traits, morphology, microgeographic spatial structure, *Impatiens capensis,* 178
genotype fitness, genotype–environment interaction, environmental heterogeneity, genetic homeostasis, genetic variance, multiple-niche hypothesis, reaction norm, *Chlamydomonas reinhardtii,* 668
geographic variation, maternal effects, age effects, diapause, adaptation, seasonality, voltinism, striped ground cricket, *Allonemobius fasciatus,* 1053
male dimorphism, developmental constraints, horned beetles, earwigs, natural selection, 18
morphological variance, allomeric variation, genetic variance, heritability, sculpins, *Cottus* spp., 1950
morphological variation, reproductive isolation, hybrid fitness, selection, migration, electrophoretic variation, fire-bellied toads, *Bombina bombina, B. variegata,* 237
phenotypic and developmental correlations, feather patterns, feather development, developmental abnormalities, canalized growth, fluctuating asymmetry, warbler, *Phylloscopus inornatus,* 518
phenotypic plasticity, body weight, sensitivity, larval food, artificial selection, reaction norm, *Drosophila melanogaster,* 1909
phenotypic plasticity, cost of adaptation, genotype-environment interaction, heterogeneous environments, evolution of generalists and specialists, quantitative genetics, 1317
phenotypic plasticity, heritability, life history, voltinism, development, local variation, temperature, water striders, *Gerris remigis,* 1520
phenotypic plasticity, tail ornament size, sexual selection, heritability, repeatability, infection, mite, *Ornithonyssus bursa,* barn swallow, *Hirundo rustica,* 1823
phenotypic plasticity, trophic morphology, cichlids, *Geophagus brasiliensis, G. steindachneri,* 1545
pollinator adaptation, floral oil, *Diascia* spp., oil-collecting bees, *Rediviva,* 1493
quantitative genetics, genetic variation, covariation, heritability, fitness traits, *Phlox drummondii,* 169
seed size variation, mating system, multiple paternity, inbreeding, *Crinum erubescens,* 883
variance, juvenile growth, genotype-environment interaction, hard clam, *Mercenaria mercenaria,* 1924